

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER POR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/595,145	05/03/2007	Bo Ekstrom	P18227-US1	3318
27045 ERICSSON IN	7590 08/24/201 IC	1	EXAM	IINER
6300 LEGACY			CHENG, CHI TANG P	
M/S EVR 1-C-11 PLANO, TX 75024			ART UNIT	PAPER NUMBER
			2463	
			NOTIFICATION DATE	DELIVERY MODE
			08/24/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

kara.coffman@ericsson.com jennifer.hardin@ericsson.com melissa.rhea@ericsson.com

Office Action Summary

Application No.	Applicant(s)			
10/595,145	EKSTROM ET AL.			
Examiner	Art Unit	_		
PETER CHENG	2463			

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS.

- WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed

after SIX (6) MCNTHS from the making date of this communication. If NCS printed for pray is appended above, the maximum statutory priority and will expire SIX (6) MCNTHS from the making date of this communication. If NCS printed for pray is appended above, the maximum statutory priority will expire a size of the printed produced by the Printed SIX of the SIX of			
Status			
1)🛛	Responsive to communication(s) filed on 27 April 2011.		
2a)	This action is FINAL. 2b) ☑ This action is non-final.		
3)	An election was made by the applicant in response to a restriction requirement set forth during the interview or; the restriction requirement and election have been incorporated into this action.		
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.		
Disposition	on of Claims		
5)🛛	Claim(s) 1-7 is/are pending in the application.		
	5a) Of the above claim(s) is/are withdrawn from consideration.		
6)	Claim(s) is/are allowed.		
7)🛛	Claim(s) 1-7 is/are rejected.		
8)	Claim(s) is/are objected to.		
9)	Claim(s) are subject to restriction and/or election requirement.		
Application	on Papers		
10)	The specification is objected to by the Examiner.		

11) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

12) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

13) Acknowledgment is made of a claim for loreign priority under 35 0.5.0. § 119(a)-(d) or (i).				
a) 🔲 All	b) ☐ Some * c) ☐ None of:			
1.	Certified copies of the priority documents have been received.			
2.	Certified copies of the priority documents have been received in Application No			
3.□	Copies of the certified copies of the priority documents have been received in this National Stage			
	application from the International Bureau (PCT Rule 17.2(a)).			

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(a)	
1) Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)
 Notice of Draftsperson's Patent Drawing Review (PTO-948) 	Paper No(s)/Mail Date
3) Information Disclosure Statement(s) (PTO/SR/08)	 Notice of Informal Patent Application

Paper No(s)/Mail Date 6) Other: S. Patent and Trademark Office

Application/Control Number: 10/595,145 Page 2

Art Unit: 2463

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 4/27/11 has been entered.

Response to Arguments

 Applicant's arguments with respect to claim 5 have been considered but are moot in view of the new ground(s) of rejection. In particular, the new reference Bhatia teaches the new limitation "each extra port corresponding to a particular new session".

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 5-7 and 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,097,798 to Albers et al., in view of U.S. Patent Publication No.

Art Unit: 2463

2004/0190689 A1 to Benitez Pelaez et al., further in view of U.S. Patent No. 6,563,824 B1 to Bhatia et al.

2. **As to Claim 5,** Albers discloses an arrangement to monitor media session flow in a telecommunication network comprising a media-handling node (Fig. 1, "Arlington 5ESS" node, whose details are further disclosed in Fig. 2 and col. 8, lines 41-48 and col. 10, lines 15-39, disclosing a "media handling node") through which, sessions between subscribers (Fig. 1, subscriber "126 684-1111" and subscriber "target 112 222-1111") are transported via first ports and second ports (Fig. 2, "interface module 51", comprising "units 0 ... n" and col. 10, lines 15-19 and 27-39, disclosing that such "units 1 ... n", i.e., first ports and second ports, "terminate lines from subscriber stations", thus disclosing sessions between subscribers are transported via units 1 ... n, i.e., first ports and second ports) comprising:

means for assigning an extra port to the media handling node (Fig. 2 and col. 10, lines 26-58, disclosing that in each "5ess" switch, i.e., the "media handling node", there are interface modules 51 that each comprise a "unit 0" port that connect to an enforcement agency terminal, such "unit 0" port teaching "an extra port", noting that there is no claimed requirement that all such "extra ports" be unique/distinct for each session, thus using the broadest reasonable interpretation of the claim term "extra port", the disclosed "unit 0" teaches "an extra port" for each session; col. 10 lines 50-58 further discloses that each such "5ess" switch, i.e., the media handling node, comprises a "time-multiplexed switch 57", which together with "TSI" of each interface module 51" "selectively connects the interface units in call connections [i.e., "sessions"]", i.e., the

Art Unit: 2463

"time-multiplexed switch 57" and the TSI in each interface module collectively disclose such means for "assigning" an extra port to the media handling node, since the "unit 0" port in the interface modules 51 is readily "provid[ed]" as "an interface for the signaling and communication links to an enforcement agency terminal [116]" for all session and such "unit 0" port is utilized when a given session is determined to require monitoring as taught by col. 11, lines 14-20, the above teaching "assigning an extra port to the media handling node", keeping in mind again that there is no claimed requirement that such "assigned" port be distinct/unique for each applicable session) for each new session that is transported through the node (Fig. 2, col. 11, lines 14-20 and col. 10, lines 26-58, teaching that in each "5ess" switch, i.e., the "media handling node", there is at least one "unit 0" port that is "provided", i.e., "assigned", as the "extra port" for each new session that is in addition to the normal data line of the session, e.g., Fig. 2, 122 and see col. 8, lines 22-59, such "extra port" being used if the session is determined to require monitoring, see col. 8, lines 22-26 and col. 11, 14-20, thus all of the above teaching "assigning an extra port to the media handling node for each new session that is transported through the node"):

means (col. 11, lines 14-18 and Fig. 2, "CALEA module processor" in combination with "DATA STORE 58", disclosing means for storing in a database; also Fig. 1, "service control point scp" and "Irn db" and col. 8, lines 10-16, disclosing a database of "local numbers" for rerouting a call to be monitored) for storing in a database (col. 8, lines 23-26, disclosing a "table of target directory numbers" for surveillance in the CALEA module, thus disclosing database), identification of a first

Art Unit: 2463

subscriber for which monitoring is desired (col. 8, lines 23-26, disclosing a "table of target directory numbers" for surveillance in the CALEA module, thus disclosing database);

means for setting up a connection between the first subscriber and a second subscriber (col. 8, lines 41-46, disclosing the "Arlington 5ESS", i.e., the media handling node, "routes the call to the target telephone 112"; col. 10 lines 50-58 further discloses that each such "5ess" switch, i.e., the media handling node, comprises a "time-multiplexed switch 57", which together with "TSI" of each interface module 51" "selectively connects the interface units in call connections"; thus the "time multiplexed switch 57" and the "TSI" together disclose means for setting up a connection between the first subscriber and a second subscriber);

means for connect an assigned extra port that is adherent to the session between the first and second subscriber (Fig. 2, "calea module processor", "data store 58 and "program store 56", col. 8, lines 22-59 and col. 11, lines 14-18, disclosing a CALEA module that decides what level of surveillance to apply to a session; Fig. 2 and col. 8, lines 41-48, disclosing the "Arlington 5ESS" switch, i.e., the media handling node, performing surveillance on the session between the first and second subscribers, such switch and components therein disclosing and teaching the claimed "means for connecting"; col. 10, lines 27-39, disclosing performing surveillance at the 5ESS switch by "half-tapping" into a call/session via the extra port "unit 0" in each interface module 51; thus all of the above discloses means for connect an assigned extra port that is adherent to the session between the first and second subscriber) and;

Art Unit: 2463

means (Fig. 1, "Arlington 5ESS" terminal, whose details are further disclosed in Fig. 2) for monitoring the session between the first and second subscriber via the connected extra port (col. 8, lines 41-49; col. 10, lines 27-39; Fig. 1, disclosing an "FBI" agency terminal attached to the "Arlington 5ESS" media handling node, and disclosing performing surveillance, i.e., "monitoring", at the 5ESS switch by "half-tapping" into a call/session via the extra port "unit 0" in each interface module 51).

Albers does not expressly disclose node of an internet protocol multimedia subsystem domain.

Benitez Pelaez discloses node (paragraphs 9, 50, 56 and 60, Fig. 1, disclosing "media gateway MGW 26", "media gateway controller function MGCF 28", and "call session control function cscf22", all comprising a "media handling node", which also comprises "MGW 26", i.e., "a gateway", each component hereinabove disclosing a "node") of an internet protocol multimedia subsystem domain (paragraphs 9 and 50, Fig. 1, disclosing that the "MGW 26" gateway, and the components situated in "IMS" is in an "internet protocol IP multimedia subsystem" domain).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to utilize the teachings disclosed in Benitez Pelaez, in conjunction with the method as disclosed and taught by Albers. Therefore, Albers and Benitez Pelaez are combinable to teach and disclose "means for assigning an extra port to the media handling node of an internet protocol multimedia subsystem domain for each new session that is transported through the node". The suggestion or motivation would have been to provide a more efficient, robust and enriched method of switching programs or

Art Unit: 2463

channels in interactive systems. (Albers, col. 3, lines 13-35; Benitez Pelaez, paragraphs 1, 6 and 7).

Albers and Benitez Pelaez do not expressly disclose each extra port corresponding to a particular new session.

Bhatia discloses each extra port corresponding to a particular new session (Figs. 5-7 and col. 15, line 17 - col. 18, teaching a process that ensures that a "LAN modem 300 assigns a distinct public source port number in the NAT table for each packet transmitted from the same workstation during a given session", such "distinct ["unique"] public source port number" teaching an "extra port"; further teaching "if the LAN modem finds that the public source port number is unique to a given workstation, then the LAN modem does not assign the same public source port number to a subsequent workstation when the session involving the first workstation is active", thus teaching this limitation).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to utilize the teachings disclosed in Bhatia, in conjunction with the method as disclosed and taught by Albers and Benitez Pelaez. Therefore, Albers, Bhatia and Benitez Pelaez are combinable to teach and disclose "means for assigning an extra port to the media handling node of an internet protocol multimedia subsystem domain for each new session that is transported through the node, each extra port corresponding to a particular new session". The suggestion or motivation would have been to provide a more efficient, robust and enriched method of data and network communications.

Art Unit: 2463

(Albers, col. 3, lines 13-35; Benitez Pelaez, paragraphs 1, 6 and 7; Bhatia, cols. 1 and 2).

 As to Claim 6, please note that Albers and Benitez Pelaez teach and disclose the arrangement as in the parent claim 5.

Albers further discloses further comprising means for sending an indicator (col. 8, lines 34-38, "tcap message" sent by the scp to the Arlington 5ess switch, which causes the 5ess switch to begin surveillance of the session, i.e., indicator to connect extra port and begin monitoring session) from the database indication that the extra port is to be connected (col. 10, lines 27-39 and col. 11, lines 13-31 and Fig. 2, "calea module processor 54" and "data store 54", "administrative module 55", "communications module 53" and "interface module 51", all disclosing the "calea module processor" determining and sending an indicator to the interface module 51 indicating that the extra port "unit 0" is to be used for surveillance/monitoring, i.e., is to be connected, wherein the "data store 54" may also contain a record of such "signaling messages"; also see col. 8, lines 53-55, disclosing "delivery of ... call-identifying information to a law enforcement agency").

 As to Claim 7, please note that Albers and Benitez Pelaez teach and disclose the arrangement as in the parent claim 5.

Albers further discloses further comprising means for setting up a three-part conference (col. 8, lines 41-48, disclosing the "Arlington 5ess" switch, i.e., the media handling node, setting up a three-part conference between subscriber "126 684-1111", subscriber "target 112 222-1111" and "FBI") between the two involved subscribers (Fig.

Art Unit: 2463

 subscriber "126 684-1111" and subscriber "target 112 222-1111") and a monitoring facility (Fig. 1, "FBI").

- As to Claim 1, please see rejection for Claim 5, which recites the same limitations
- As to Claim 2, please see rejection for Claim 6, which recites the same limitations.
- As to Claim 3, please note that Benitez Pelaez and Albers disclose and teach the arrangement as in the parent claim 2.

Albers further discloses whereby the indicator (col. 8, lines 34-38, "tcap message" sent by the scp to the Arlington 5ess switch, which causes the 5ess switch to begin surveillance of the session, i.e., indicator to connect extra port and begin monitoring session) is sent from the database to the media-handling node (col. 8, lines 34-38, "tcap message is sent from the scp, i.e., the "database", to the Arlington 5ess switch, i.e., the media handling node).

 As to Claim 4, please see rejection for Claim 7, which recites the same limitations.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PETER CHENG whose telephone number is (571)272-9021. The examiner can normally be reached on M-Th, 8:00AM - 5:00PM (EST).

Art Unit: 2463

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derrick W. Ferris can be reached on (571)272-3123. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/P. C./ Examiner, Art Unit 2463

/Derrick W Ferris/

Supervisory Patent Examiner, Art Unit 2463